



kd[®] KEDING Stock Symbol (TWSE): 6655

Keding Enterprises Co., Ltd.

2025 Q3 Investor Conference

| Interior Surface Solutions

Disclaimer

1. Financial numbers in this document contains unaudited and unreviewed information. All information is for reference only.
2. This document and relevant information may contain certain forward-looking statements. Such forward-looking statement is not actual results but only reflects the company's estimates and expectations and is subject to inherent risks and uncertainties that could cause actual results to differ materially from such statement.
3. Any business outlook or forward-looking statement hereof reflects the company's estimates and expectations as of now and is subject to change after this date. Unless required by applicable law, the Company undertakes no obligation to update any such information.

大綱

1. 2025 Q3 Financial Report
2. New Product
3. Locations
4. Corporate Sustainability



Financial Report

Income Statement

Project	2025 Q3 VS 2024 Q3 (NT\$ billion)			
	2025年Q3	Sales %	2024年Q3	Sales %
Sale Revenue	1,870,910	100.00%	1,847,155	100.00%
Gross Profit	951,387	50.85%	871,330	47.17%
Gross Profit	919,523	49.15%	975,825	52.83%
Operating Expenses	642,965	34.37%	602,519	32.62%
Operating Income	276,558	14.78%	373,306	20.21%
Non-operating Income(Expenses)	-33,401	-1.79%	-571	-0.03%
Income Before Tax	243,157	13.00%	372,735	20.18%
Net Income	196,659	10.51%	299,443	16.21%
EPS	2.48		3.83	


Financial Report

Financial Ratios


Project		2025 Q3	2024 Q3	2024
Debt Management Ratios	Debt Ratio(%)	71.17	72.10	70.65
	Long term Debt to Fixed Asset(%)	178.36	168.85	184.27
Liquidity Ratios	Current Ratio(%)	86.40	75.00	106.30
	Quick Ratio(%)	20.81	19.99	26.79
	Times Interest Earned	4.24	9.04	7.60
Asset Management (Times)	Account Receivable Turnover (Times)	8.56	7.94	8.26
	Inventory Turnover (Times)	1.05	1.08	1.08
	Total Asset Turnover (Times)	0.29	0.34	0.33
Profitability	Return to Asset(%)	2.29	4.11	5.84
	Return to Equity(%)	7.87	13.69	15.89
	Net Profit Margin(%)	10.51	16.21	15.41
	EPS	2.48	3.83	4.93

Financial Report

2024 Q3




2025 Q3




Financial Report

2024 Q3



2025 Q3



New Product

NEW 全新品項 強勢登場

高性價比
星光擬真板



高防水性
SPC地板



高黏著力
強力膠



New Product

Starlight Realistic Panels

星光
星光選好材 · 群星匯精彩

星光擬真板

超越同級產品的 F1 級環保標準

PVC 美耐皿 面材任選！

防刮耐磨塗層
PVC / 美耐皿 印刷膜
底材 (F1 夾板)

NEW!!

星光擬真板
PVC系列

防水防潮 穩固耐用 啞光質感

NEW!!

星光擬真板
美耐皿系列

同步壓紋 不易變形 穩定抗熱

裝潢用KD · 健康又安心

New Product

Starlight Realistic Panels

SGS

測試報告

科定企業股份有限公司
新北市新莊區福慈路268號15樓

報告編號: HTC25800043

報告日期: 2025/09/01

頁數: 2 of 3

測試部位敘述

No.1 : 棕色/淺棕色片狀

測試結果

測試項目	測試方法	單位	RL	結果	通過
				No.1	參考 限值
鄰苯二甲酸二丁酯 (DBP) (CAS No.84-74-2)		mg/kg	30	n.d.	1000 (Total)
鄰苯二甲酸二甲苯酯 (BBP) (CAS No.85-68-7)		mg/kg	30	n.d.	
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (CAS No.117-81-7)		mg/kg	30	295	
鄰苯二甲酸二異丁酯 (DIBP) (CAS No.84-69-5)	參考 EN 14372: 2004, 以 氣相層析/質譜儀檢測。	mg/kg	30	n.d.	1000 (Total)
鄰苯二甲酸二異壬酯 (DINP) (CAS No.28553-12-0, 68515-48-0)		mg/kg	100	n.d.	
鄰苯二甲酸二正辛酯 (DNOP) (CAS No.117-84-0)		mg/kg	30	n.d.	
鄰苯二甲酸二癸基酯 (DIDP) (CAS No.26761-40-0, 68515-49-1)		mg/kg	100	n.d.	

備註:

1. mg/kg = ppm ; 0.1% = 1000 ppm
2. RL = 報告界限值
3. n.d. = Not Detected (未檢出) < 小於 RL
4. 本報告不得分離或謄錄使用。
5. 本實驗室之報告符合性聲明依ILAC-G8:09/2019簡單允收之二分法判定規則(w=0, AL=TL)做為測試結果符合性聲明判定之判定依據。

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司
No. 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan

Member of the SGS Group

GSL

美商通用檢驗科技股份有限公司台灣分公司

TAF

Testing Laboratory 2588

試驗報告

報告編號: PO-25-007706
報告日期: 2025 年 09 月 01 日
頁次: 第 1 頁; 共 1 頁

* 工程名稱: 性能自測
* 供料商: 科定企業股份有限公司
* 樣品名稱: 星光擬真特殊加工化粧合板 Model C
* 委託單位: 科定企業股份有限公司
* 聯絡資訊: 新北市新莊區福慈路 268 號 15 樓
收件日期: 2025 年 08 月 13 日
試驗日期: 2025 年 08 月 13 日~2025 年 08 月 15 日
備註: 本樣品由科定企業股份有限公司郵寄/貨運至本實驗室執行試驗。
密本報告中“*”為客戶提供之資訊

試驗結果:

試驗項目	單位	試驗結果	試驗方法
甲醛釋出量	平均值	0.3	CNS 8058(2024)
	最大值	0.3	

註: 1.試驗件描述: 板材 24 片。
2.甲醛釋出量:
(1)方法偵測極限(MDL): 0.04 mg/L。
(2)試驗結果低於方法偵測極限(MDL)之測定值以“N.D.”表示; 若高於方法偵測極限(MDL), 但低於定量極限(QDL)時以“< 0.1(測試值)”表示。
——END——

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司
No. 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan

Member of the SGS Group

SGS

材料暨工程實驗室-台中

TAF

Testing Laboratory 2592

試驗報告

報告編號: TB-25-05028
C-25-12538
頁數: 1 OF 1
報告發行日期: 114年08月25日

工程名稱: 自測
承造商: -----
委託單位: 科定企業股份有限公司
地址: 新北市新莊區福慈路268號15樓
地點: -----
樣品名稱: 星光擬真特殊加工化粧合板 Model C
送檢人員: 科定企業股份有限公司-黃達綱
收件日期: 114年08月04日
試驗日期: 114年08月04日~114年08月25日
註: 1.以上資料(會檢人員、試驗方法、試驗數量、收件日期及試驗日期除外)及下送報告內容標示“或係由顧客提供”
2.除另有說明, 此報告結果僅適用於收取之試驗件
未經本公司事先書面同意, 此報告不可部分複製

試驗結果:

試驗項目	試驗結果	試驗方法
防焰性	#火源加熱時間(sec)	10
	餘焰時間(sec)	0
	餘煙時間(sec)	0
	炭化長度(cm)	5

註: 1.樣品平均厚度均為 3.1 mm
2.試驗者: 黃家駿
3.測試面為表面(紋路面)
4.樣品描述: 特殊合板
5.本實驗室執行試驗地點同實驗室地址

#附表 CNS 7614:1994 防焰性種類如下表所示

種類	防焰一級	防焰二級	防焰三級
餘焰時間(sec)	≤ 1	≤ 5	≤ 5
餘煙時間(sec)	≤ 60	≤ 60	≤ 60
炭化長度(cm)	≤ 5	≤ 10	≤ 15

本報告若有被複製時, 該試驗值僅供參考, 不得以此作為委託單位實際參考為準。

報告簽署人: 黃達綱

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司
No. 8, 14th St, Taichung Industrial Park, Taichung 40271, Taiwan / 40271台中市台中工業區14路8號
41889-41 2358-1515 41889-41 2358-2957
Member of SGS Group

請港檢驗科技股份有限公司

總公司: 新北市中和區中正路716號14樓
網址: http://www.loton.com.tw

電話: (02)8228-0770(代表號)
傳真: (02)8228-0760

綠建材樣品檢驗報告

委託單位: 科定企業股份有限公司
委託單位地址: 242新北市新莊區福慈路268號15樓
委託單位負責人及身分證編號: 曹應章 / P121224***
公司統一編號: 80214519
產品名稱: 星光擬真特殊加工化粧合板
產品型號: NA676H(2.86mm)綠建材同系列產品型號, 共5項
產品成份: 三聚氰胺膠/合板, 三聚氰胺膠厚度為0.16mm, 合板厚度為2.7mm。
產品用途: 壁板材(健康綠建材-隔聲類)
產品厚度: 2.86mm

是否經認可

檢驗項目	檢驗值	檢驗方法	標準值
★ 萃出液中總鉛(Pb)	ND<0.0034 mg/L	NIEA R201.15C/NIEA R310.14B/NIEA M04.03C	0.3
★ 萃出液中總銅(Cu)	ND<0.011 mg/L	NIEA R201.15C/NIEA R310.14B/NIEA M04.03C	0.15
★ 萃出液中總鎳(Ni)	ND<0.031 mg/L	NIEA R201.15C/NIEA R310.14B/NIEA M04.03C	0.3
★ 萃出液中總鉻(Cr)	ND<0.0079 mg/L	NIEA R201.15C/NIEA R310.14B/NIEA M04.03C	0.05
★ 萃出液中六價鉻(Cr6+)	ND<0.0030 mg/L	NIEA R201.15C/NIEA R309.13C	1.5
★ 萃出液中總汞(Hg)	ND<0.00630 mg/L	NIEA R201.15C/NIEA R314.13C	0.005
★ 萃出液中總砷(As)	ND<0.00069 mg/L	NIEA R201.15C/NIEA R318.13B	0.3

備註:

1.本報告已由實驗室主任或核可報告簽署人審核無誤, 並簽署於內部報告文件, 簽署人如下:
空氣採樣類: 謝東助(ESA-04)、蔡志欣(ESA-06)
無機檢測類: 康肇偉(ESI-02)、洪慧鈞(ESI-03)、陳育龍(ESI-06)、黃勝清(ESI-07)
有機檢測類: 康肇偉(ESO-02)、譚文豪(ESO-03)
2.檢驗項目有標示“★”者係指該檢驗項目本公司之檢驗能力已經內部認可, 並依其公告之檢驗方法分析, 未標示“★”者表示未經認可。
3.關於方法偵測極限之測定以“ND-MDL”表示, 並註明其方法偵測極限值及單位。
4.本報告僅對該樣品負責, 並不保證重複測試及作為宣傳廣告之用。
5.此項樣品非本公司所採樣, 僅對分析部份負責。

聲明書
(一)茲保證本報告內容完全依照環境部及有關機關之標準方法及品保品管等相關規定, 秉持公正、誠實進行採樣、檢測, 絕無虛偽不實, 如有違反, 就政府機關所受損失與負擔賠償責任之外, 並接受主管機關依法令所為之行政處分及刑事處罰。
(二)吾人瞭解如自身受政府機關委任公務, 亦屬於刑法上之公務員, 並瞭解刑法上之罪刑, 若吾人登載不實偽造公文書及貪污治罪條例之相關規定, 如有違反, 亦為刑法及貪污治罪條例之適用對象, 願受最嚴厲之法律制裁。

公司名稱: 請港檢驗科技股份有限公司
負責人(簽章): 余建中
實驗室主任(報告簽署人)(簽章): 康肇偉

請港檢驗科技股份有限公司
綠建材實驗室
負責人: 余建中
實驗室主任: 康肇偉

第3頁 共5頁

New Product

SPC Flooring



裝潢用KD·健康又安心

New Product

KD Super Glue

The advertisement features a dark blue background on the left and a yellow background on the right, separated by a diagonal line. In the center, there are four cans of KD Super Glue. Two are blue with red accents and labeled '305', and two are yellow with blue accents and labeled '300'. The cans are labeled 'kd 科定 強力接著劑 MaxBond' and '噴膠專用' (spray glue). Above the cans, the text '科定強力膠' (KD Super Glue) is in a white cloud shape, and '超黏不刺鼻，施作更省力' (Super sticky, no irritation, easier to apply) is in large white characters. To the right of the cans, two circular icons highlight '高 耐候性' (High weather resistance) and '低 VOC排放' (Low VOC emission). Below these, the text '塗膠 / 噴膠 任選' (Apply glue / spray glue, choose as you like) is shown. The KD logo and 'KEDING' brand name are in the top left, with the tagline '裝潢用KD·健康又安心' (KD for decoration, healthy and safe).

kd KEDING
裝潢用KD·健康又安心

科定強力膠

超黏不刺鼻，施作更省力

kd 科定 強力接著劑 MaxBond 305 塗膠專用

kd 科定 強力接著劑 MaxBond 300 噴膠專用

高 耐候性

低 VOC排放

塗膠 / 噴膠 任選

裝潢用KD·健康又安心

New Product

One-stop shop for all indoor green building materials

全室綠建材 一站購足

飾面板材 • 木地板 • 連工帶料 • 純出料



裝潢用KD · 健康又安心

New Product

One-stop shopping for all your needs for comprehensive materials



\ 木工師傅最強後盾 /


綜合材料 一站購足

夾板、矽酸鈣板、角材
強化木芯板 通通有

裝潢用KD · 健康又安心

Starting in Taiwan, expanding to the world

More than 200 locations



A3 commercial office building

◎ Location : No.268, Fuhui Rd., Xinzhuang Dist., New Taipei City 242

(New Taipei Industrial Park)

◎ Base area : 3,252.93m²

◎ Floor plan : 15 floors above ground/4 floors underground

◎ Total floor area : 23,680.36m²

◎ Parking space : ramp level

◎ Building structure : SS above ground, SRC underground

◎ Use area : Industry Zone

◎ Building use : G2 General Office

◎ Founder : Keding Enterprises Co., Ltd.

◎ Architect : Sanmen Joint Architects

◎ Construction company : JDC CORPORATION TAIWAN BRANCH



KD Taipei Headquarters

No.268, Fuhui Rd., Xinzhuang Dist., New Taipei City 242
(near MRT A3 & Circular Line Y20)



KD Xinshu Logistics Park

- ◎ Location : No. 522 & 523, Section 3, Huanhan Road, Xinzhuang District, New Taipei City
- ◎ Base area : 5,985.54m²
- ◎ Floor plan : 7 floors above ground/1 floors underground
- ◎ Total floor area : 26,406.96m²
- ◎ Parking space : ramp level
- ◎ Building structure : reinforced concrete
- ◎ Building use : C2 Factory
- ◎ Founder : Keding Enterprises Co., Ltd
- ◎ Architect : Lee Man-cho Architects
- ◎ Construction company : Lih Hwa Construction Co., Ltd



KD Xinshu Logistics Park_Base location and advantages

| 面臨環漢路三段

| 新莊.樹林.板橋.中繼

| 製造業與物流公司的聚集地

商機無限，助力經濟發展！

11 Key Advantages

- ◎ **Legally Zoned Industrial Land** – Factory registration eligible with no redevelopment or demolition risk.
Base area : 5,985.54m²
- ◎ **Industrial Power Supply** – Lower electricity costs and guaranteed power usage rights.
- ◎ **Brand-New RC Factory** – Superior safety, fire resistance, and thermal comfort.
- ◎ **Efficient Loading & Shipping** – Equipped with loading docks and freight elevators.
- ◎ **Drive-Up Ramp Access** – Vehicles can access each floor directly for faster logistics.
- ◎ **Flexible Large Floor Plates** – Spacious, adaptable layouts maximizing space efficiency.
- ◎ **5 Million People in 30 Minutes** – Excellent connectivity across Greater Taipei–Taoyuan.
- ◎ **High-Growth Development Zone** – Adjacent to major redevelopment and future landmarks.
- ◎ **24/7 Operations** – Full-time access with maximum operational flexibility.
- ◎ **Strategic Transportation Hub** – Direct links to major roads, expressways, and highways
- ◎ **Prime Riverfront Visibility** – Enhances corporate image and brand presence.

Corporate Sustainability

kd KEDING
裝潢用KD · 健康又安心

邀您 e 起愛地球。
KD帳單電子化

即日起申辦電子對帳單，即送 \$100 元  購物禮券




掃我申請 e 帳單

裝潢用KD · 健康又安心

KD Donations to support disaster relief in Hualien

Donating equipment to support the front lines





Thank you

Keding Enterprises Co., Ltd.

No. 268, Fuhui Rd., Xinzhuang Dist., New Taipei City 242,
Taiwan

Tel : (02)2296-3999 Fax : (02)8511-1216

